

aluline™

Merchandising & Display System



aluline™


Merchandising & Display System

Here's a really innovative idea.

A discreet lateral display system, that accommodates shelving without the need for additional support hardware.

LOOK

Shelving secures directly into the aluline™ rail. No need for support brackets!



- 1 aluline™ rail. Available in lengths of up to 5800mmL. Accommodates panel thickness of 18mm.
- 2 aluline's™ innovative profile design accommodates shelving independent of the need for additional support bracketing.
- 3 alupuc™ system devices utilise the same merchandise support accessories as the aluline™ rail enabling full interchange of hardware across both systems.

Discreet, unobtrusive and versatile

Manufactured from durable aluminium aluline™ is a discreet, lateral rail engineered to fit directly into timber, pre-finished or laminated panels.

Suitable for use in panels 18mm in thickness, aluline™ rails are fitted to your specification at varying heights along the panel surface.

When installed the rail sits discreetly to the panel surface creating a clean, unobtrusive outline.



Innovative profile design

Accompanying the system is a wide selection of quality, merchandise support, accessories, which simply slot from the front into the aluline™ rail.

Additionally, a notable key design feature of the aluline™ system enables the ability to insert 6mm glass, metal or acrylic shelves directly into the rail.

One in place, shelves are secured within the profile independent of the need for additional support bracketing.

Complementary “puck based” system hardware and accessories

Offering even greater design flexibility, aluline™ boasts a complementary range of puck based hardware componentry.

alupuc™ system devices utilise the same merchandise support accessories as the aluline™ rail, enabling full interchange of hardware across both systems.



aluline™ Merchandising & Display System

Hardware and Accessories

ALULINE RAIL

AL 110 500 00 - for 6mm shelf



AL 111 500 00

alupuc™ system device



AL 251 501 05

6mm shelf support
Pictured with glass shelf
(made to order/ specification)



AL 351 102 12

Shoe display shelf
300mmL x 120mmD



AL 470 120 10

Straight arm with pin
300mmL x 20mm dia.



DISPLAY ARM WITH PIN 10MM DIA.

AL 461 110 15 - 150mmL
AL 461 110 20 - 200mmL
AL 461 110 30 - 300mmL



DISPLAY HOOK 6MM DIA.

AL 440 106 15 - 150mmL
AL 440 106 20 - 200mmL



AL 432 112 28

Curved arm with 8 pins



AL 470 120 30

Internal shelf support arm
180mmL, 12mm dia.



AL 210 215 16

Shelf support arm
300mmL, 20mm dia.



SIDE HANG RAIL

AL 261 120 59 300mm x 590mm
(300mm centre to centre)
AL 261 121 90 300mm x 990mm
(600mm centre to centre)



AL 270 600 30

Under shelf side hang rail
590mmL, 20mm dia.
(includes 2 x shelf support plates)



WENGE TIMBER SHELF

NVTS - 600mmL, 1000mmL, 1200mmL x 400mmD



WHITE TIMBER SHELF

NVWS - 600mmL, 1000mmL, 1200mmL x 400mmD
(other sizes available to order)



GLASS SHELF

NVGS - 600mmL, 1000mmL, 1200mmL x 400mmD
(custom sizes also available to order)



alupuc™ system devices utilise the same merchandise support accessories as the aluline™ rail, enabling full interchange of hardware across both systems.



alupuc™ system devices and support accessories have been strength tested up to 25kg. Maximum recommendation up to 15kg per bracket.

Technical Data

- Maximum capacity load for each bracket should not exceed 15kg.
- The aluline™ rail is manufactured from aluminium and is available in lengths up to 5800mmL.
- Merchandise support accessories are finished in satin chrome.
- Custom finishes are available to order.
- Shelving can be manufactured to order in a range of sizes and finishes.